


# Artificial Intelligence detection for Grain Size



Discover more about  
One-click solutions using  
Artificial Intelligence

Aluminium


Austenite

# Automatic Segmentation

Artificial Intelligence (AI) and deep learning make the segmentation absolutely effortless. Segmenting grains using manual thresholding can be very tricky and tedious – this is now past.

## ➤ One-click detection

Automatic and complete image segmentation without complicated workflows is provided by just one-click using AI in NIS-Elements.




## ➤ Sample type flexibility


AI network can recognize grains on wide variety of images as it has been trained on large amount of samples prepared with different procedures.

## ➤ AI segmentation results

- The results of AI segmentation on various sample without any further adjustments:



## ➤ AI segmentation results



Reliable AI grain detection currently works primarily on Austenitic and Ferritic one-phase structures.

Additional image samples are being continually added into the AI network to offer customers the best and the most comfortable grain segmentation on the market.



***All mask segmentation results on images in this brochure have been created purely by our AI and have not been further altered or adjusted in any way.***

# Advanced features



Brilliant capabilities of AI provide accurate grain detection in NIS-Elements even on images containing various segmentation difficulties. For example:

## ➤ Annealing twins

AI's unparalleled ability to detect grains containing annealing twins decisively surpasses conventional segmentation methods.




## ➤ Samples with shading




AI network is trained to correctly identify individual grains also on the images with shading. Achieving such excellent results is very difficult using common segmentation methods.


➤ Samples containing particles



Grain detection using AI in NIS-Elements properly segments grains on images containing various interfering particles or defects.




➤ Scratched samples



AI capabilities can automatically and correctly segment grains even on scratched or similarly damaged samples.



Already pretrained for you





And the best part? Grain Size AI detection in NIS-Elements comes already ready to use! Simply click and the AI detection will do the work for you all by itself.

Customize your own AI


Do you have samples you would like to achieve better results on? Create your own custom AI for specific samples using the NIS-Elements NIS.ai module to get the best results possible.

# Automatic complete grain size results with just one-click



Various measurement methods including the Planimetric and the Abrams method.

In accordance with:  
 ASTM E1382-97 and E112-13  
 JIS G0551  
 ISO 643  
 GB/T 6394



**Grain Size Report**


Submitter: LIM  
 Test: Standard A-23  
 Product: Testing Sample Sample No.: 12  
 Material: Austenite Order No.: 1  
 Submitted for test: 25.04.2023 Charge No.: C-2317  
 Tested: 25.04.2023 Drawing No.: 6

Standard: ASTM E112-13(2013)  
 Test Method: Planimetric  
 Number of measured fields: 10


**Measured Table:**

	Austenite
N	1874,500
A SD [ $\mu\text{m}^2$ ]	80,955
95% IS A [ $\mu\text{m}^2$ ]	2,827
A MEAN [ $\mu\text{m}^2$ ]	138,080
ARA [%]	2,048
Grain size number	10

**Original Image:**



**Analyzed Image:**



Complete measurement results in Report including the number of measured fields or images, the number of grains and the grain area (mean, minimum and maximum) using NIS-Elements

We would like to express our gratitude to UJP PRAHA a.s., Nad Kamínkou 1345, Prague 5 Zbraslav, Czech republic, for providing us a wide variety of samples for the AI development and kind approval to use them in our Grain Size brochure and presentations.

The company name, logos and company symbols of Nikon and NIS-Elements in this brochure are registered trademarks of NIKON CORPORATION.